

Docket No.: P-0286

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Dong-Hyeon KIM

Serial No: 09/993,518

Filed: November 27, 2001



Confirmation No.: 8130

Group Art Unit: 2133

Examiner: James C. Kerveros

Customer No.: 34610

For: APPARATUS AND METHOD FOR TESTING BIT ERROR RATE OF DSRC ITS SYSTEM

U.S. Patent and Trademark Office
220 20th Street S
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

☐ No additional fee is required.

☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	19	20	0	x \$18 =	\$0.00
Independent Claims	7	4	3	x \$88 =	\$264.00
If multiple claims newly presented, add \$290.00					
Fee for extension of time					\$0.00
TOTAL FEE DUE					\$264.00

☐ Please charge my Deposit Account No. 16-0607 in the amount of \$____. An additional copy of this transmittal sheet is submitted herewith.

☒ A check in the amount of \$ 264.00 (Check #14087) is attached.

☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186
David A. Bilodeau
Registration No. 42,325

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK/DAB:cre
Date: November 15, 2004



GP 2133
[Signature] ✓

Docket No.: P-0286

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 8130

Dong-Hyeon KIM

Group Art Unit: 2133

Serial No.: 09/993,518

Examiner: James C. Kerveros

Filed: November 27, 2001

Customer No.: 34610

For: APPARATUS AND METHOD FOR TESTING BIT ERROR RATE OF DSRC ITS
SYSTEM

AMENDMENT

U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Office Action dated August 17, 2004, please amend the above-
identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Abstract are reflected on page 4 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on
page 5 of this paper.

Remarks/Arguments begin on page 20 of this paper.

11/16/2004 SSITHI81 00000039 09993518

01 FC:1201

264.00 0P